FALL PROTECTION: HOW TO INSPECT YOUR FULL BODY HARNESS

Every time, prior to donning the harness

INSPECT THE LABELS

All labels should be intact and legibile.

INSPECT THE HARDWARE

Look for damaged, broken, missing or heavily corroded buckels,eyelets, D-Rings, or adjustors. Be sure to check all moving parts on the hardware to ensure that they work freely and fuction properly.

ANNAUL INSPECTION BY A COMPETENT PERSON

At least once a year, the harness should be inspected by a competent person other than the user. Record the date and the results of the inspection.



INSPECT THE IMPACT INDICATOR

The impact indicator is a section of the webbing, that is secured with a special stich pattern. It is designed to release when the harness has been subjected to impact loading from fall. Prevent any future use by destroying and discarding the harness if the impact indicator is broken.

INSPECT THE WEBBING

Look for frayed, cut, or broken fibers and stiches. Broken stiches may indicate the harness has been subjected to a fall. Other signs of damage: tears, abrasion, mold, burns, or discoloration from UV light and corrosive chemicals.

ALSO

Check the harness manufacture's inspection recomandations to be sure that you are not ,missing anything.



2021 DEWALT. DEWALT® is a registered trademark of the DEWALT Industrial Tool Co., used under license

